


P10 FLUX


THE ULTIMATE THERMAL PERFORMANCE FOR SILENT CASES



WHY THE NEW COOLING SOLUTION?

When Intel and AMD announced their latest CPUs, they all deliver remarkable performance upgrades and better productivity, it also means the functional requirement of PC equipment needs to be taken to the next level, especially the thermal performance.

To cope with the stress of enhanced heat dissipation, Antec developed a revolutionary structure for airflow, providing an improved and powerful cooling solution for your system.
The F-LUX Platform.




► **DUAL AIRFLOW CHANNEL** ► **SIDE PANEL AIR INTAKE** ► **5x120mm FANS INCLUDED**

F-LUX PLATFORM - ANTEC'S ORIGINAL COOLING SOLUTION

What is the F-LUX Platform?


The definition of FLUX is **Flow Luxury**. The F-LUX Platform is a new industry-leading and highly efficient design by Antec featuring an **advanced case structure for excellent airflow** and **5 x 120 mm fans included**. A core element of the design ethos was to enhance GPU cooling performance.



► **DUAL AIRFLOW CHANNEL** F-LUX Platform will provide massive airflow when the GPU is functioning, enhancing the heat dissipation, and gaming performance.

F-LUX PLATFORM - ANTEC'S ORIGINAL COOLING SOLUTION

5 x 120 mm Fans Included



REAR
1 X 120 MM FAN
Pulls out the heat from the interior and helps your PC to cool down.

ON THE TOP OF PSU CHAMBER
1 X 120 MM REVERSE FAN
The included 120 mm reverse fan is for the top of the PSU chamber, which pulls cool air into the case via the ventilation at the right-side panel and the bottom, providing heightened GPU cooling performance.

FRONT
3 X 120 MM FANS
Highly efficient silent fans provide strong cooling yet produce low noise.

ALL ABOUT SILENCE

With sound-dampening foam on the front door, sides and top, P10 FLUX ensures you the absolute silence.



Top: Full sound-dampening foam


Left Side: Full sound-dampening foam

Right Side: The upper half: sound-dampening foam / The lower half: air intake

Front Door: Sound-dampening foam with 0.5 mm steel panel for absorbing energy

ALL-ROUND DIRECTED AIRFLOW


With the air-concentrating front filter, P10C pulls in the air from all directions and enhances cooling.



Air-Concentrating Front Filter
With the design of bars at various height, the front filter can concentrate airflow to improve thermal performance.

Widened Air Passage
11 mm space between the front door and filter allows P10 FLUX to pull in more air.

I/O PANEL WITH DUST PLUGS




The fan-speed control button provides high & low modes.

BUILT-IN FAN SPEED CONTROLLER
Supports up to 6 fans

3-pin fan connectors 3-pin fan connectors

MORE FOR WORKSPACE AND EDUCATION




CHOOSE YOUR SIDE
P10 FLUX features a reversible and swing-open front panel design. You can choose to install the front panel on either side according to your dominant hand or PC setup environment.

Maximum rotation angle: 145 degrees.

Strongly magnetic front door ensures the sound-dampening effect.

EASY TO CLEAN



READY FOR PERFORMANCE


- A** Motherboard Support: ATX , Micro-ATX, ITX
- B** 2.5" SSDs: 3
- C** 3.5" removable HDDs / 2.5" SSDs (Compatible): 3/2
- D** 5.25" ODD: 1 (The ODD bracket can be removed.)
- E** Max GPU Length: 405 mm (Supports high-end VGA, e.g. MSI GeForce, ASUS ROG)
- F** Max CPU Cooler Height: 175 mm (Supports high-end CPU cooler, e.g. Noctua NH-U12A)
- G** Max PSU Length: 205 mm



ASUS ROG STRIX RTX3080 MSI GeForce RTX 2080

NH-U12A V8 GTS T620M

SUFFICIENT SPACE FOR CABLE MANAGEMENT



FRONT: 34.5 MM REAR: 28.5 MM


SUGGESTION OF CABLE MANAGEMENT

— CPU Power Cable — HDD to MB SATA Cable

— Motherboard Power Cable (24-Pin) — SSD to MB SATA Cable

— Graphic Card Power Cable

ULTIMATE THERMAL PERFORMANCE



Supports up to 6 fans.


REAR: 1 x 120 mm FRONT: 2 x 140 mm, 3 x 120 mm

TOP OF THE PSU CHAMBER
(Long screws for fans are included in the accessories)

1 x 120 mm 1 x 120 mm

Bracket can be removed

MAKE IT COOLER



P10 FLUX keeps your gear cool with room for up to 360 mm radiator in the front & 120 mm at the rear.

REAR: 120 mm FRONT: 360 mm, 280 mm, 120 mm

If both fans and the radiator are installed inside, the radiator thickness is up to 30 mm.

If fans are installed outside and the radiator is installed inside, the radiator thickness is up to 55 mm.



The P10 FLUX mid-tower silent case is well equipped with an industry-leading design of advanced ventilation, taking the Performance Series silent cases to the next generation.

Net Weight: 7.3 Kgs Gross Weight: 8.6 Kgs

Case Specifications	
Case Dimensions	477 x 220 x 486 mm (DWH)
Form Factor	Mid Tower
Materials	Steel + Plastic
Motherboard Support	ATX, M-ATX, ITX
I/O Ports	Power, Fan Control Button, 2 x USB3.0, HD-AUDIO
Side Panel	Sound Dampening Panel

Expansion & Drive Bays	
Expansion Slots	7
5.25"	1
3.5" / 2.5" (Convertible)	3 / 2
2.5"	3

Fan Support	
Front	3 x 120 mm / 2 x 140 mm
Power Supply Shroud	2 x 120 mm
Rear	1 x 120 mm
Included Fan(s)	3 x 120 mm silent fans in front 1 x 120 mm reverse fan on PSU shroud 1 x 120 mm fan in rear

Radiator Support	
Front	120 / 240 / 280 / 360 mm
Rear	120 mm

Clearances	
Max GPU Length	≤ 405 mm
Max CPU Cooler Height	≤ 175 mm
Max PSU Length	≤ 205 mm

Miscellaneous	
Dust Filters	Front / Bottom / Right Hand Side
Net Weight	7.3 Kgs
Gross Weight	8.6 Kgs
Warranty	2 Years
UPC#	0-761345-80100-3